# PASSHOT CCNP/CCIE(350-501)SPCOR

Number: 350-501 Passing Score: 825 Time Limit: 140 min

Follow us to learn more! Whatsapp/Skype: +86 13559033962 Facebook: Passhot Club Twitter: passhot1

## **QUESTION 1**

How much must the MTU be increased when configuring the 802.1q VLAN tag?

- A. 4 bytes
- B. 2 bytes
- C. 12 bytes
- D. 8 bytes

Answer: A

## **QUESTION 2**

Which configuration mode do you use to apply the **mpls ldp graceful-restart** command in IOS XE Software?

- A. MPLS LDP neighbor
- B. MPLS
- C. Interface
- D. global

Answer: D

# **QUESTION 3**



Refer to the exhibit. Router 1 was experiencing a DDoS attack that was traced to interface gigabitethernet0/1.

Which statement about this configuration is true?

- A. Router 1 accepts all traffic that ingresses and egresses interface gigabitethernet0/1.
- B. Router 1 drops all traffic that ingresses interface gigabitethernet0/1 that has a FIB entry that exits a different interface.
- C. Router 1 accepts source addresses that have a match in the FIB that indicates it is reachable through a real interface.
- D. Router 1 accepts source addresses on interface gigabitethernet0/1 that are private addresses.

## Answer: C

#### **QUESTION 4**

Which statement about the Cisco MPLS TE forwarding adjacency feature is true?

- A. It enables the Cisco MPLS TE tunnel to be advertised into the running IGP.
- B. It enables the MPLS core to use EIGRP as the routing protocol.
- C. It enables the tailend router to advertise routes to the headend router over the tunnel.
- D. It enables the headend and tailend routers to establish a bidirectional tunnel.

Answer: A

# **QUESTION 5**

While implementing TTL security, you issue the **PE(config-router-af)#neighbor 2.2.2.2 ttl-security hops 2** command.

After you issue this command, which BGP packets does the PE accept?

- A. to 2.2.2.2, with a TTL of 2 or more
- B. to 2.2.2.2, with a TTL of less than 253
- C. from 2.2.2.2, with a TTL of less than 2
- D. from 2.2.2.2, with a TTL of 253 or more

Answer: D